



JD GreenTech Global, Inc.

Flood LED light

Email info@greentech-global.com

Tel 214 8085895

<http://www.greentech-global.com/>



LED Landscape Flood Light with High Energy-saving Function

Model Number:JD-SP-2011

- Product name: LED outdoor spot lighting and landscape flood lamp
- Specifications:
 - Power: 100W
 - Voltage: 90 to 260V AC and 50/60Hz
 - Color temperature: 5,000 to 6,000K or RGB
 - LM: 6,500
 - Beam angle: LED 40 degrees
 - Electronic safety standard: class 1
 - Executive standard: IEC 598
 - Lamp source: high-efficient LED
 - IP: 65
 - Color rendering property: 80
 - Lamp size: 750 x 480mm



LED Flood Light with Aluminum Alloy Lamp Frame, 3,850lm Luminous Flux and 80° Beam Angle

Model Number:JD-SP-2018

- Features:
 - Energy-saving
 - Environment-protecting
 - No infrared and ultra-violet
 - Long lifespan
 - Lamp frame is aluminum alloy with stainless steel fasteners
 - Use high-efficient LED to make lights
 - Uses alternative switch power supplier to change the voltage
 - Use silicone closed ring to make lights dust-resistant
 - Static-enduring painting on the surface to resist acid and alkali and anti-aging
 - 5mm toughened transparent glass, high temperature resisting and high-intensity
 - Easy for lights penetrating
- Specifications:
 - Power: 70W
 - Voltage: 90 to 260V AC, 50/60Hz

- Color temperature: 5,000 to 6,000K
- Luminous flux: 3,850lm
- Beam angle: 80°
- Electronic safety standard: class 1
- Executive standard: IEC 598
- Lamp source: high-efficient LED
- IP rating: IP65
- Color rendering property: 80
- Lamp size: 490 x 400 x 135mm



LED Outdoor Flood Lamp and Billboard Light with 80% Energy-saving and Long Lifetime
Model Number: JD-SP-2019

- Product name: LED outdoor spot lighting, landscape flood lamp
- Specifications:
 - Power: 70W
 - Voltage: AC 90 to 260V, 50Hz/60Hz
 - Color temperature: 5,000 to 6,000K
 - LM: 3850
 - RGB available
 - Beam angle: LED 80-degree
 - Electronic safety standard: class 1
 - Executive standard: IEC 598
 - Lamp source: high-efficient LED
 - IP: 65
 - Color rendering property (Ra): 80
 - Lamp size: 465 x 440 x 155mm



LED Outdoor Flood Light and Billboard Light with Long Lifetime

Model Number: SP-2020

- Product name: LED outdoor spot lighting, landscape flood lamp
- Specifications:
 - Power: 70W to 250W
 - Voltage: AC 90 to 260V, 50Hz/60Hz
 - Color temperature: 5,000 to 6,000K
 - LM: 15000
 - Color: Warm white, white, muticolor
 - Beam angle: LED 80-degree
 - Electronic safety standard: class 1
 - Executive standard: IEC 598
 - Lamp source: high-efficient LED
 - IP: 65
 - Color rendering property (Ra): 80
 - Lamp size: 465 x 440 x 155mm



LED Outdoor Lawn Spot-light, Landscape Flood Lamp
with Power from 12 to 15W

Model Number:JD-SP-3003-A

Product name: LED lawn spot light/outdoor landscape flood
lamp

- Specifications:
 - Power: 12 to 15W
 - Voltage: AC 90 to 260V, 50/60Hz
 - Color temperature: 520 to 525K
 - LM: 820
 - Beam angle: LED 40-degree
 - Electronic safety standard: class 1
 - Executive standard: IEC 598
 - Lamp source: high-efficient LED
 - IP: 65
 - Lamp size: 435 x 182 mm



Solar Flood Light

Model No.: JD-SL0415 Solar Flood Light
with ABS Body and Typical Black Finish

- Materials: ABS body and PS clear lens
- Size: 12 x 8.8 x 21.6cm
- Luminophor: 3 x white LED
- Battery: 3 x 1.2V Ni-MH AA size
- Power supply model: solar panel
- Finish: typical black
- Installation: snap-in style
- Lighting time: up to 8 to 10 hours
- Different LED and finish colors are available
- Charge by day, automatically turn-on by dusk with light sensor



Flood Light
Model No JD- GL2407 150W/500W Halogen
Bulb Sensor Flood Light with R7S Socket

- Wattage: 150/500W
- Bulb: halogen bulb
- Socket: R7S
- CE, GS and IP44 base



LED Flood Light Series
Model No:JD-OS 8858-1 LED Flood Light
Series, Made of Aluminum

- 110/220V AC input
- None UV
- Color temperature: 5,000/7,000K
- Lumen: 1,050lm
- Lens degrees: 30 degrees
- Length: 60 degrees
- IP: 65
- Dimensions (L x W x H): 460 x 150 x 80mm
- Light source: LED-24W
- Lumen: LED-1W, 24 pieces 1,050lm
- Colors: red, yellow, blue, green and bespoke
- Material: aluminum



Halogen Flood Light
Model No: JD-JM-150 halogen flood light
Halogen Flood Light with J 78mm, 150W/R7s
LED Lamp

- Type: halogen
- Lamp: J 78mm, 150W/R7s LED



High Power LED Flood Light
Model No: JD-AL-FL48W High Power LED
Flood Light with 48x1W LED Lights and
Available in Full Color, Low Power
Consumption

- Description:
 - Input Voltages: 110V/220V
 - Power Consumption: 52W
 - Light Source: 48 x 1W LED
 - Color: R/Y/B/G/CW/DW/WW/RGB
 - Size: 394 x 437 x 280mm
 - Beam Angle: 15/90
 - IP Rate: IP65
 - For RGB color changing version, DMX512 is applicable
- Features:
 - Constant current circuit design
 - Cool beams with no UV or IR radiation
 - Certificates: CE/ROHS
 - Long lifespan, energy saving, environmental friendly, low power consumption, low heat, and low cost

Used in floodlighting and wallwashing for bars, clubs, hotels, stages, parks, plazas, commercial buildings facades, mosques, museums, art galleries, and historical buildings



Flood Light

Model No: AL-RFL18W High Power LED Flood Light with 18x1W LED Lights, 150x60x198MM, Beam Angle of 15/45, Voltage 24V DC

- Description:
 - Input Voltage: 24V DC
 - Power Consumption: 9.6W
 - Light Source: 18 x 1W LED
 - Color: R/Y/B/G/CW/DW/WW/RGB
 - Size: $\Phi 150 \times 60 \times 198\text{mm}$
 - Beam Angle: 15/45
 - IP Rate: IP65
- Features:
 - Constant current circuit design
 - Cool beams with no UV or IR radiation
 - Long lifespan, energy saving, environmental friendly, low power consumption, low heat and low cost
 - Floodlighting and wallwashing for bars, clubs, hotels, stages, parks, plazas, commercial
 - buildings facade, mosques, museums, art galleries, and historical buildings